



# TIE-OFF BAR

- Engineered and tested to withstand the fall of a worker equipped with a harness and shock absorber in compliance with the regulations.
- Employed when there are risks of a fall of more than 10 feet.
- Lightweight aluminum construction.
- Quick installation and ease of mobility.
- Available in 7, 8 and 10 feet lengths.

**METALTECH**

**BUILT TOUGH FOR  
SAFETY**

# TIE-OFF BAR

When the surrounding structures are not accessible or strong enough to be anchored, the horizontal Tie-Off Bar lets you utilize your anti-fall protection equipment. Safe protection against falls.

**QUICK  
INSTALLATION**



**SAFE  
ANCHORAGE**

	7' TIE-OFF BAR	8' TIE-OFF BAR	10' TIE-OFF BAR
<b>DIMENSIONS</b>	3 X 5 X 84 IN.	3 X 5 X 96 IN.	3 X 5 X 120 IN.
<b>CAPACITY</b>	220 LB WORKER WITH HIS EQUIPMENT*	220 LB WORKER WITH HIS EQUIPMENT*	220 LB WORKER WITH HIS EQUIPMENT*
<b>WEIGHT</b>	31.7 LB (14.4 KG)	35.2 LB (16 KG)	42.2 LB (19.2 KG)
<b>MATERIAL</b>	ALUMINUM	ALUMINUM	ALUMINUM
<b>STANDARDS</b>	OSHA 1926.502(d)15 / CSA Z259.16 / SCCI 2.10.15	OSHA 1926.502(d)15 / CSA Z259.16 / SCCI 2.10.15	OSHA 1926.502(d)15 / CSA Z259.16 / SCCI 2.10.15
<b>MODEL</b>	M-BAA07	M-BAA08	M-BAA10
<b>UPC</b>	778300000364	778300001354	778300000371

\* Designed and tested to resist to the fall of 220 lb worker with a harness and a shock absorber.



# METALTECH®

**WWW.METALTECH.CO**

**1 800 363-7587**

Metaltech is a registered trademark of Metaltech-Omega inc. | [www.metaltech-omega.com](http://www.metaltech-omega.com) | NOTE: Pictures and descriptions in this brochure may differ from actual product. S-BAA-NA-EN08