

# THE ULTIMATE WORK PLATFORMS

---

**WIDE WORK  
PLATFORM  
FOR EXTRA  
COMFORT**

---

**MADE OF  
ROBUST  
MATERIAL**

---

**ENSURE A  
SECURE AND  
SAFE WORK  
ENVIRONMENT**

---




**BUILT TOUGH FOR  
SAFETY**

# BETTER SELL THROUGH WITH RETAIL READY PACKAGING



Discover Metaltech's latest product packaging designed to offer customers a quick and comprehensive understanding of the product. Innovative safety rails, convenient foldaway tool shelves and secure locking mechanisms are only a few of the features included in this category. These "No Tool Required" work platforms offer contractors and consumers ease of use, safety, and affordability, in new packaging for effortless merchandising.



## ELECTRIC MOTOR TO MOVE YOUR SCAFFOLDING EFFORTLESSLY

- The Climb-N-Go allows the scaffolding to be moved without having to descend to move it
- The electric motor can be installed on all Metaltech Baker type scaffolds
- Compact and easy to transport to a job site
- Multidirectional joystick control positionable both on a rung or on a guardrail
- Moves on a job site without the need for a freight elevator, unlike a scissor lift
- The Climb-N-Go is compatible with a one-level Baker scaffold only

**NEW**



Model: I-CNG



## 6' HIGH BAKER STYLE SCAFFOLD



### MULTI PURPOSE

Suitable and safe for all types of interior work. At 30" (76 cm) wide, it can easily roll through doorways.



### STACKABLE UP TO 18' (5.5 M)

Easily stackable up to three units high in order to reach a range of 24' (7.4 m).



### QUICK AND EASY HEIGHT ADJUSTMENT

Platform height adjusts at 2" (5 cm) increments from 27" to 73" (68.6 to 185 cm).



### DOUBLE LOCKING CASTERS

High capacity 5" (13 cm) casters with both wheel and swivel locks.



### STORAGE & TRANSPORT

To haul your equipment and heavy loads to and from job sites. 1,100 lb capacity.



### STAIRWAYS

Each end can adjust separately to be used on both level surfaces and stairways.

PRODUCT CODE	I-CISC
ASSEMBLED DIMENSIONS (W x D x H)	74.75 X 29.75 X 75 IN. (189.9 X 75.6 X 190.5 CM)
PACKAGE DIMENSIONS (W x D x H)	75 X 30.5 X 5.25 IN. (190.5 X 77.5 X 13.3 CM)
WEIGHT	113.7 LB (51.6 KG)
LOAD CAPACITY	1,100 LB (500 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 27 TO 73 IN. (68.6 TO 185 CM) 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
REACH	12 FT (3.7 M), STACKABLE UP TO 3 UNITS HIGH FOR 24 FT (7.4 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	SEE PAGE 5
UPC CODE	778300200108

## COMPLETE TOWER SETS

### WITH OUTRIGGERS AND GUARDRAILS SYSTEMS



#### 12' HIGH TOWER COMPONENTS

- 2 Baker Scaffold Structure
- 4 14" (35.5 cm) Outriggers
- 1 Guardrails system
- 8 Heavy duty casters

**948<sub>lb</sub>**  
LOAD CAPACITY

**17.5'**  
REACH

PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W x D x H)	74 X 58.5 X 183 IN. (1.88 X 1.49 X 4.65 M)
PACKAGE DIMENSIONS (W x D x H)	75.2 X 43.4 X 15 IN. (191 X 110.2 X 38.1 CM)
PACKAGING WEIGHT	347.8 LB (157.8 KG)
LOAD CAPACITY	948 LB (431 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 11.5 FT (0.68 TO 3.51 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	17.5 FT (5.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200009

#### 18' HIGH TOWER COMPONENTS

- 3 Baker Scaffold Structure
- 4 46" (117 cm) Outriggers
- 1 Guardrails system
- 12 Heavy duty casters

**851<sub>lb</sub>**  
LOAD CAPACITY

**24'**  
REACH

PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W x D x H)	74 X 122 X 236 IN. (1.88 X 3.1 X 6 M)
PACKAGE DIMENSIONS (W x D x H)	75.2 X 51 X 30.3 IN. (191 X 130 X 77 CM)
PACKAGING WEIGHT	629.6 LB (285.6 KG)
LOAD CAPACITY	851 LB (387 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 16.9 FT (0.68 TO 5.15 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	24 FT (7.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200511

# JOBSITE SERIES BAKER

## AVAILABLE OPTIONS FOR BAKER STYLE SCAFFOLDS



### GUARDRAILS SYSTEM

<b>PRODUCT CODE</b>	I-CISGRJP
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	69.75 X 29.25 X 44.5 IN. (177.2 X 74.3 X 113 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	46 X 31.25 X 4.5 IN. (116.8 X 79.4 X 11.4 CM)
<b>WEIGHT</b>	55.4 LB (25.2 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-BMSS, I-CISCDW, I-CISCH1, I-CISCMT



### FOR 2 UNITS HIGH

### SET OF 14" OUTRIGGERS

<b>PRODUCT CODE</b>	I-CISO4
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	16 X 3.75 X 23.5 IN. (40.6 X 9.5 X 59.25 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	22 X 16.25 X 4.75 IN. (56 X 41 X 12 CM)
<b>WEIGHT</b>	31.4 LB (14.25 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCH1, I-CISCMT



### FOR 3 UNITS HIGH

### SET OF 46" OUTRIGGERS

<b>PRODUCT CODE</b>	I-BMSO4TT
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	51.5 X 4 X 52.25 IN. (130.81 X 101.6 X 132.72 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	64 X 15.5 X 6 IN. (162.56 X 39.4 X 15.2 CM)
<b>WEIGHT</b>	104 LB (47.3 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-CISCDW, I-CISCH1, I-BMSS, I-CISCMT



### TOOL SHELF

<b>PRODUCT CODE</b>	I-CISTR
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	31.25 X 20.75 X 9.25 IN. (79.4 X 52.7 X 23.5 CM)
<b>WEIGHT</b>	5.5 LB (2.5 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-CISCDW, I-IRC, I-CISCH1, I-CISCMT



### 39" HIGH EXTENSION

<b>PRODUCT CODE</b>	I-HSEX4PPNCAS
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	73.75 X 29 X 42.5 IN. (187.3 X 73.7 X 108 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	83.5 X 30.75 X 3.75 IN. (212.1 X 78.1 X 9.5 CM)
<b>WEIGHT</b>	60.2 LB (27.3 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CISCAS, I-CISCTP, I-BMSS, I-CISCDW, I-CISCH1, I-CISCMT



**SAFECLIMB**  
FEATURES

### PLATFORM WITH TRAP DOOR

<b>PRODUCT CODE</b>	I-CISPT
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	67 X 29 X 1.5 IN. (170.2 X 73.7 X 3.8 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	68.5 X 30.5 X 2 IN. (174 X 77.5 X 5.1 CM)
<b>WEIGHT</b>	38 LB (17.3 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CISCTP, I-CISCAS, I-CISCDW, I-CISCH1, I-CISCMT



**NEW**

### SET OF 4 CASTERS WITH LEVELING JACK\*

<b>PRODUCT CODE</b>	I-IBSJC12H4
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	5.75 X 2.5 X 19.5 IN. (14.6 X 6.4 X 49.5 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	20 X 8 X 4.75 IN. (50.8 X 20.3 X 12.1 CM)
<b>WEIGHT</b>	19.4 LB (8.8 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CISCTP, I-CISCDW, I-CISCWB, I-CISCH1, I-CISCAS, I-CISCMT, I-SB3M

\* LEVELING JACK ADJUSTABLE TO 6"



### SET OF 4 LEVELING JACKS

<b>PRODUCT CODE</b>	I-IBSP12H4
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	9.5 X 5.5 X 12.25 IN. (23.6 X 13.5 X 31 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	13 X 13 X 8 IN. (33.6 X 33.2 X 20.4 CM)
<b>WEIGHT</b>	24.2 LB (11 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-BMSS, I-CISCDW, I-CISCH1, I-CISCMT



### SET OF 4 BASE PLATES

<b>PRODUCT CODE</b>	I-IBBF4
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	4.75 X 4.75 X 4.75 IN. (12 X 12 X 12 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	11 X 5.25 X 5.5 IN. (27.8 X 13.3 X 13.8 CM)
<b>WEIGHT</b>	10.1 LB (4.6 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW, I-CISCH1, I-CISCMT



### SAFETY BRAKES

<b>PRODUCT CODE</b>	I-ISL
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	67.1 X 4.25 X 4.25 IN. (170.4 X 10.8 X 10.8 CM)
<b>WEIGHT</b>	25.79 LB (11.69 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW, I-CISCH1, I-CISCMT



### SUPPORT ROLLER

<b>PRODUCT CODE</b>	I-CISRL
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	12.25 X 2 X 28.25 IN. (31 X 5 X 71.8 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	25 X 3.75 X 2.25 IN. (63.6 X 9.5 X 5.7 CM)
<b>WEIGHT</b>	8.75 LB (3.97 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CISCTP, I-CISCPY, I-CISCAS, I-CISCDW, I-BMSS, I-CISCMT



### ADD-ON STORAGE SHELF

<b>PRODUCT CODE</b>	I-CISSU
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	74.25 X 25.5 X 2 IN. (188.6 X 64.8 X 5 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	40.25 X 18.25 X 2.5 IN. (102.2 X 46.4 X 6.4 CM)
<b>WEIGHT</b>	27.6 LB (12.5 KG)
<b>COMPATIBLE WITH METALTECH MODELS</b>	I-CISC, I-CISCTP, I-CISCPY, I-CISCAS, I-CISCDW, I-CISCWB, I-CISCMT, I-CISCH1



## JOBSITE™ SERIES 6'

**850 lb**  
LOAD CAPACITY

**12'**  
REACH



### STACKABLE UP TO 12' (3.7 M)

Easily stackable up to two units high in order to reach a range of 18' (5.5 m).



### MULTI-LEVEL WORKING AREA

Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.

<b>PRODUCT CODE</b>	I-IRC
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	75 X 30.5 X 78.25 IN. (190.5 X 77.5 X 198.8 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	76.75 X 31 X 6.75 IN. (195 X 78.7 X 17.2 CM)
<b>WEIGHT</b>	135.5 LB (61.5 KG)
<b>LOAD CAPACITY</b>	850 LB (385 KG) COMBINED WEIGHT OF USER + MATERIALS
<b>WORKING HEIGHTS</b>	13-25-37-49-61-73 IN. (33-63.5-94-124.5-155-185.5 CM)
<b>REACH</b>	12 FT (3.7 M) STACKABLE UP TO 2 UNITS FOR 18 FT (5.5 M) REACH
<b>CASTERS</b>	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
<b>OPTIONS</b>	GUARDRAILS / SET OF 4 OUTRIGGERS / TOOL SHELF / 3 FT (91.4 CM) OR 6 FT (182.9 CM) EXTENSIONS
<b>UPC CODE</b>	778300400157



REVERSIBLE PLATFORM; DECK ON ONE SIDE, UNIVERSAL MITER SAW STAND ON THE OTHER

## SCAFFOLD BENCH™

**1100 lb**  
LOAD CAPACITY

**12'**  
REACH



### ALL INCLUSIVE

Standard Baker Style Scaffolding, Miter Saw Stand, Work Bench, Utility Cart and Storage Rack.

<b>PRODUCT CODE</b>	I-CISCMT
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	74.75 X 29.75 X 75 IN. (189.9 X 75.6 X 190.5 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	75.75 X 30 X 7 IN. (192.4 X 76.2 X 17.8 CM)
<b>WEIGHT</b>	160 LB (72.6 KG)
<b>LOAD CAPACITY</b>	SCAFFOLDING: 1,100 LB (500 KG). COMBINED WEIGHT OF USER + MATERIALS. STORAGE SHELF: 200 LB (90.7 KG) DISTRIBUTED WEIGHT.
<b>WORKING HEIGHTS</b>	27 TO 73 IN. (69 TO 185 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
<b>REACH</b>	12 FT (3.7 M). STACKABLE UP TO 3 UNITS HIGH FOR 24 FT (7.4 M) REACH
<b>CASTERS</b>	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
<b>OPTIONS</b>	SEE PAGE 5
<b>UPC CODE</b>	778300003006



## MULTI-FUNCTION WORKBENCH™

**500 lb**  
LOAD CAPACITY

**9.9'**  
REACH



### ALL INCLUSIVE

Miter Saw Stand, Work Bench, Utility Cart, Storage Rack and Work Platform.

<b>PRODUCT CODE</b>	I-SB3M
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	56.5 X 29.25 X 37.5 IN. (143.5 X 74.30 X 95.3 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	60 X 4 X 30.5 IN. (152.4 X 10.2 X 77.5 CM)
<b>WEIGHT</b>	98.8 LB (44.8 KG)
<b>LOAD CAPACITY</b>	SCAFFOLDING: 500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS. STORAGE SHELF: 200 LB (90.7 KG) DISTRIBUTED WEIGHT.
<b>WORKING HEIGHTS</b>	19.5 TO 37.25 IN. (49.5 TO 94.5 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
<b>REACH</b>	9.9 FT (3.01 M)
<b>CASTERS</b>	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
<b>UPC CODE</b>	778300005369



**JOBSITE™ SERIES 5'**

**900lb**  
LOAD CAPACITY

**10'**  
REACH



**JOBSITE™ SERIES 4'**

**500lb**  
LOAD CAPACITY

**9'**  
REACH



**JOBSITE™ SERIES 4'**

**500lb**  
LOAD CAPACITY

**9'**  
REACH



**TOOL SHELF & SAFETY RAIL**

Safety rail to hold on to, for stability. Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.



**TOOL SHELF & SAFETY RAIL**

Safety rail to hold on to, for stability. Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.



**EASY STORAGE**

Folds flat for compact storage and transport.



**STABLE AND STURDY**

Double locking 5" wheels, anti-slip platforms and included outriggers provide safety.



**WORKBENCH**

Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.



**TRANSPORT**

Use it as a cart to haul your equipment and heavy loads to and from job sites. 500 lb (227 kg) capacity.

<b>PRODUCT CODE</b>	I-MIS
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	50.5 X 31 X 76.5 IN. (128.3 X 78.7 X 194.3 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	44 X 23 X 7.5 IN. (111.8 X 58.4 X 19.1 CM)
<b>WEIGHT</b>	77 LB (35 KG)
<b>LOAD CAPACITY</b>	900 LB (408 KG) COMBINED WEIGHT OF USER + MATERIALS
<b>WORKING HEIGHTS</b>	11.5 - 25 - 36.5 - 48 IN. (29 - 64 - 93 - 122 CM)
<b>REACH</b>	10 FT (3 M)
<b>CASTERS</b>	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
<b>UPC CODE</b>	778300100019

<b>PRODUCT CODE</b>	I-IMCNT
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	49.5 X 22.5 X 57.75 IN. (125.7 X 57.2 X 146.7 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	43.25 X 24 X 4.5 IN. (109.9 X 61 X 11.4 CM)
<b>WEIGHT</b>	59 LB (26.8 KG)
<b>LOAD CAPACITY</b>	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
<b>WORKING HEIGHTS</b>	10 - 21.5 - 33 IN. (25 - 55 - 84 CM)
<b>REACH</b>	9 FT (2.75 M)
<b>CASTERS</b>	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
<b>UPC CODE</b>	778300100224

<b>PRODUCT CODE</b>	I-IMCN
<b>ASSEMBLED DIMENSIONS (W x D x H)</b>	41 X 22.5 X 45.75 IN. (104.1 X 57.2 X 116.2 CM)
<b>PACKAGE DIMENSIONS (W x D x H)</b>	43.25 X 24 X 3.75 IN. (109.7 X 60.8 X 9.8 CM)
<b>WEIGHT</b>	50 LB (22.7 KG)
<b>LOAD CAPACITY</b>	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
<b>WORKING HEIGHTS</b>	10 - 21.5 - 33 PO (25 - 55 - 84 CM)
<b>REACH</b>	9 FT (2.75 M)
<b>CASTERS</b>	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
<b>UPC CODE</b>	778300100200



## ALU™ SERIES 4'

**600 lb**  
LOAD CAPACITY

**9'**  
REACH



## ALU™ SERIES 6'

**700 lb**  
LOAD CAPACITY

**12'**  
REACH



## ALU SERIES™ 6' BAKER

**700 lb**  
LOAD CAPACITY

**12'**  
REACH



### EASY STORAGE

Fold flat for compact storage and transport

PRODUCT CODE	I-IMAC
ASSEMBLED DIMENSIONS (W x D x H)	42.25 X 22.25 X 47.75 IN. (107.3 X 56.5 X 121.4 CM)
PACKAGE DIMENSIONS (W x D x H)	43.75 X 22.5 X 4.75 IN. (111 X 57.2 X 12.1 CM)
WEIGHT	35.2 LB (16 KG)
LOAD CAPACITY	600 LB (272 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	9.5 - 21.25 - 33 IN. (24 - 54 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300100408



### USE IT AS A CART

To haul your equipment and heavy loads to and from job sites. 700 lb capacity.

PRODUCT CODE	I-CAIRC
ASSEMBLED DIMENSIONS (W x D x H)	56.5 X 29 X 72 IN. (143.5 X 73.7 X 182.9 CM)
PACKAGE DIMENSIONS (W x D x H)	67.5 X 30.5 X 6.5 IN. (171.5 X 77.5 X 16.5 CM)
WEIGHT	60 LB (27 KG)
LOAD CAPACITY	700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	11.75 - 23.5 - 35.25 - 47 - 59 - 70.75 IN. (30 - 60 - 90 - 119 - 150 - 180 CM)
REACH	12 FT (3.7 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300420155



### MULTI PURPOSE

Suitable and safe for all types of interior work. Each end can adjust separately to be used on both level surfaces and stairways. At 30" (76 cm) wide, can easily roll through doorways.

PRODUCT CODE	I-CAISC
ASSEMBLED DIMENSIONS (W x D x H)	74 X 30.75 X 74.5 IN. (187.7 X 78.2 X 189.5 CM)
PACKAGE DIMENSIONS (W x D x H)	74.75 X 30.25 X 6.25 IN. (189.7 X 76.9 X 16 CM)
WEIGHT	85 LB (38.6 KG)
LOAD CAPACITY	700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 26.75 TO 73 IN. (67.9 TO 185.1 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
REACH	12 FT (3.7 M) STACKABLE UP TO 3 UNITS HIGH FOR 24 FT (7.4 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	GUARDRAILS / SET OF 4 OUTRIGGERS / SET OF 4 BASE PLATES / SAFETY BRAKES / SET OF 4 LEVELING JACKS / TOOL SHELF
UPC CODE	778300220106



CUSTOMER SERVICE

T : **1 800 363-7587** (TOLL FREE NUMBER)

@ : **CS@METALTECH.CO**

**WWW.METALTECH.CO**

ALL PRODUCTS MEET **ANSI OSHA CSA**



**GOING PAPERLESS?**



Scan for a quick access to a digital version (PDF)